
New York State Dam Safety





Alon Dominitz, P.E. Chief
Dam Safety Section
518-402-8185

Dam Classification



Class A

Low

Hazard

Potential

Class B

Intermediate
Hazard
Potential







Class C

High
Hazard
Potential

"C" DAMS BY OWNER TYPE

(NYS Dam Inventory)





NY State Dam Safety Program




- Technical review of proposed work
- Regulatory inspection by DEC engineers
- Enforcement
- Repair or removal of unsafe dams
- Emergency planning

Owner Responsibilities

- Inspection
- Maintenance & Repair
- Operation
- Monitoring
- Emergency Action



Dam Safety program oversees owner to protect downstream lives, property, and natural resources



With Increasing Hazard Class...

- Owner responsibilities increase
- As Hazard Class increases A → C
 - Dam Owner responsibilities increase
 - Design standards increase
 - Time, money and effort increase

B Hazard Dams

- 759 B Hazard Dams in NY
- Many municipal water supplies, some privately owned

B Hazard Dams

- Operate and maintain a safe dam
- Prepare and implement an Operation & Maintenance Plan
- Record property transactions for parcel containing dam
- Conduct an inspection by PE every 4 yrs
- Conduct an engineering assessment by PE every 10 yrs
- Prepare an Emergency Action Plan and conduct exercises
- Report flow in auxiliary spillway
- Submit Annual Certification

C Hazard Dams

- 386 C Hazard Dams in NY
- Most government and utility owned

C Hazard Dams – Owner Responsibility

- Operate and maintain a safe dam
- Prepare and implement an Operation & Maintenance Plan
- Record property transactions for parcel containing dam
- Conduct an inspection by PE every 2 yrs
- Conduct an engineering assessment by PE every 10 yrs
- Prepare an Emergency Action Plan and conduct exercises
- Report flow in auxiliary spillway
- Submit Annual Certification
- Demonstrate Financial assurance for life of dam

Prelim. Draft Regulations

Preliminary draft regulations on DEC's secure ftp site: ftp://ftp.dec.state.ny.us/dow/damsafety/